SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

LEMONADE PINK FLAVOR N&A TYPE

of the mixture

Registration number

SynonymsNone.Product codeCA1432Issue date15-July-2016

Version number 02

Revision date 07-March-2017 Supersedes date 15-July-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesUse in accordance with supplier's recommendations.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Capella Flavors, Inc.
Address 6155 Corte Del Cedro
Carlsbad. CA 92011

United States

Division

Telephone Office 760 650-0200

Fax n/a

e-mail customerservice@capellaflavors.com

Contact person Not available.

1.4. Emergency telephone CHEMTREC 800-424-9300

number

INTERNATIONAL 703-741-5500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long-term aquatic hazard long lasting effects.

Hazard summary Causes serious eye irritation. May cause an allergic skin reaction. Dangerous for the environment

if discharged into watercourses. Occupational exposure to the substance or mixture may cause

adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: LEMON OIL ARGENTINA - KERRY, TRADE SECRET, TRADE SECRET, TRADE SECRET

Hazard pictograms

 \Diamond

Signal word Warning

Material name: LEMONADE PINK FLAVOR N&A TYPE

CA1432 Version #: 02 Revision date: 07-March-2017 Issue date: 15-July-2016

Hazard statements

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

Avoid breathing mist or vapour. P261 Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273 Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Storage Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
LEMON OIL ARGENTIN	IA - KERRY	5 - < 10	8008-56-8	-	-	
Classification:	Flam. Liq. 2;H225, Asp. Tox. 1;H304, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Irrit. 2;H319, Aquatic Chronic 2;H411					
TRADE SECRET		< 0,1	Proprietary	-	-	
Classification:	Skin Sens. 1A;H317, Eye Irrit. 2;H319					

Other components below reportable levels

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms

and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

Version #: 02 Revision date: 07-March-2017 Issue date: 15-July-2016

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Use water spray to reduce vapours or divert vapour cloud drift. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid

release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components Type Value

PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) MAC

10 mg/m3

150 ppm

Version #: 02 Revision date: 07-March-2017 Issue date: 15-July-2016 CA1432

Ireland. Occupational Expos Components	Туре	Value	Form			
PROPYLENE GLYCOL	TWA	470 mg/m3	Total vapour and			
NOM NFI (CAS 57-55-6)		10 mg/m3	particulates. Particulate.			
		150 ppm	Total vapour and particulates.			
Latvia. OELs. Occupational	exposure limit values of chemical substa	ances in work environment	particulates.			
Components	Туре	Value				
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TWA	7 mg/m3				
Lithuania. OELs. Limit Value Components	es for Chemical Substances, General Re Type	quirements Value				
PROPYLENE GLYCOL	TWA	7 mg/m3				
NOM NFI (CAS 57-55-6)	IVVA	/ mg/ms				
Norway. Administrative Norm Components	ns for Contaminants in the Workplace	Value				
	Туре	Value				
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TLV	79 mg/m3				
		25 ppm				
UK. EH40 Workplace Exposu Components	ure Limits (WELs) Type	Value	Form			
PROPYLENE GLYCOL	TWA	474 mg/m3	Total vapour and			
NOM NFI (CAS 57-55-6)		10 mg/m3	particulates. Particulate.			
		150 ppm	Total vapour and particulates.			
ogical limit values	No biological exposure limits noted fo	or the ingredient(s).	particulates.			
ommended monitoring	Follow standard monitoring procedures.					
cedures ived no effect levels	Not available.					
lved no eπect levels ELs)	Not available.					
dicted no effect	Not available.					
centrations (PNECs)						
Exposure controls	Good general ventilation (typically 10	air changes per hour) should be	a used Ventilation rates			
ropriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provice					
	exposure limits have not been establi eyewash station.	ished, maintain airborne levels to	o an acceptable level. Provid			
•	such as personal protective equipment					
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.					
Eye/face protection	Face shield is recommended. Wear s	safety glasses with side shields (or goggles).			
Skin protection						
- Hand protection	Wear appropriate chemical resistant gloves.					
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.					
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.					
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.					
iene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.					
ironmental exposure	Inform appropriate managerial or sup	ervisory personnel of all environ	mental releases.			
trole						

SECTION 9: Physical and chemical properties

controls

9.1. Information on basic physical and chemical properties

Material name: LEMONADE PINK FLAVOR N&A TYPE

Appearance

Liquid. Physical state Liquid. **Form**

Colour Not available. Odour Not available. Odour threshold Not available. Not available. pН

-59 °C (-74,2 °F) estimated Melting point/freezing point 188,2 °C (370,76 °F) estimated Initial boiling point and boiling

range

Flash point > 98,9 °C (> 210,0 °F)

Evaporation rate Not available. Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Vapour pressure 0.11 hPa estimated Not available. Vapour density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature 371,11 °C (700 °F) estimated

Decomposition temperature Not available. Not available. **Viscosity** Not explosive. **Explosive properties** Not oxidising. **Oxidising properties**

9.2. Other information

Refractive index 1.3909 - 1.4209 1,03 - 1,06 Specific gravity

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

No data available. **Acute toxicity**

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Material name: LEMONADE PINK FLAVOR N&A TYPE CA1432 Version #: 02 Revision date: 07-March-2017 Issue date: 15-July-2016 Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work

(as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available. No data available. 12.4. Mobility in soil

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s.

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) 90 Hazard No. (ADR)

Material name: LEMONADE PINK FLAVOR N&A TYPE

Tunnel restriction code Ε Ш 14.4. Packing group 14.5. Environmental hazards Yes 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user RID 14.1. UN number UN3082 14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. name 14.3. Transport hazard class(es) 9 Class Subsidiary risk 9 Label(s) Ш 14.4. Packing group

14.6. Special precautions

14.5. Environmental hazards Yes

Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s.

name

14.3. Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s.

name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Yes **ERG Code**

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., MARINE POLLUTANT

name

14.3. Transport hazard class(es)

9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Yes Marine pollutant F-A, S-F

14.6. Special precautions

for user

EmS

Read safety instructions, SDS and emergency procedures before handling.


PG + ETHANOL MIX

14.7. Transport in bulk Not established.

according to Annex II of Marpol

and the IBC Code

CA1432 Version #: 02 Revision date: 07-March-2017 Issue date: 15-July-2016



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I, as amended Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. Additional information is given in the Safety Data Sheet.

National regulations Follow national regulation for work with chemical agents. Young people under 18 years old are not

allowed to work with this product according to EU Directive 94/33/EC on the protection of young

people at work, as amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15 H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety. **Training information**Follow training instructions when handling this material.

Disclaimer Capella Flavors, Inc. cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

CA1432 Version #: 02 Revision date: 07-March-2017 Issue date: 15-July-2016