# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

FRENCH VANILLA FL ART

of the mixture

Registration number

Synonyms None.

Product code CA1006

Issue date 02-September-2015

Version number 06

**Revision date** 15-February-2017 **Supersedes date** 07-November-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses**Use in accordance with supplier's recommendations.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Capella Flavors, Inc.
Address 6155 Corte Del Cedro

Carlsbad, CA 92011

United States

Division

Telephone Office 760 650-0200

Fax n/a

e-mail customerservice@capellaflavors.com

Contact person Not available.

**1.4. Emergency telephone** CHEMTREC 800-424-9300

number

INTERNATIONAL 703-741-5500

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

**Hazard summary**Causes serious eye irritation. May cause irritation to the respiratory system. May cause an allergic

skin reaction. Occupational exposure to the substance or mixture may cause adverse health

effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: PENTANEDIONE,2,3 (ACETYL PROPIONYL) #205, TRADE SECRET

Hazard pictograms

 $\Diamond$ 

Signal word Warning

**Hazard statements** 

Material name: FRENCH VANILLA FL ART

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

CA1006 Version #: 06 Revision date: 15-February-2017 Issue date: 02-September-2015

SDS FU

### **Precautionary statements**

_					
μ	rev	rer	1TI	ดท	

Avoid breathing mist or vapour. P261 Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Storage Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

#### Supplemental label information None

#### 2.3. Other hazards

Not a PBT or vPvB substance or mixture. This product contains a butter flavoring other than diacetyl. The health effects of these materials are currently being studied for potential respiratory hazards. Avoid eye contact or breathing dust, powder, mist or vapor from this product as irritation of the eyes or respiratory tract may result. This product contains ingredients for which the health effects have not been fully evaluated.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
VANILLIN #234	5 - < 10	121-33-5 204-465-2	-	-	
Classification:	Eye Irrit. 2;H319				
ETHYL MALTOL NOM #	<del>\$</del> 169 3-<5	4940-11-8 225-582-5	-	-	
Classification:	Acute Tox. 4;H302				
ETHYL VANILLIN #296	3-<5	121-32-4 204-464-7	-	-	
Classification:	Eye Irrit. 2;H319				
PENTANEDIONE,2,3 (AC PROPIONYL) #205	ETYL 1-<3	600-14-6 209-984-8	-	-	
Classification:	Flam. Liq. 2;H225, Skin	Sens. 1B;H317, E	ye Dam. 1;H318, STOT RE 2;H3	373	
TRADE SECRET	< 0,2	Proprietary -	-	-	
Classification:	Acute Tox. 4;H302, Skir	n Sens. 1B;H317, E	Eye Dam. 1;H318		

Other components below reportable levels 80 - < 90

# List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments** 

### **SECTION 4: First aid measures**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information** 

protect themselves. Wash contaminated clothing before reuse.

### 4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing

respiratory symptoms: Call a POISON CENTRE or doctor/physician.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if

Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

5.2. Special hazards arising

from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapour, fumes, dust and/or mist from the spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground. Use water spray to reduce vapours or divert vapour cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store

away from incompatible materials (see Section 10 of the SDS).

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Material name: FRENCH VANILLA FL ART SDS EU 3/8

### Occupational exposure limits

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components Type Value PROPYLENE GLYCOL MAC 10 mg/m3 NOM NFI (CAS 57-55-6) 150 ppm Ireland. Occupational Exposure Limits **Form** Value Components Type PROPYLENE GLYCOL **TWA** 470 mg/m3 Total vapour and NOM NFI (CAS 57-55-6) particulates. Particulate. 10 mg/m3 150 ppm Total vapour and particulates. Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Value Type PROPYLENE GLYCOL **TWA** 7 mg/m3 NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Value Type PROPYLENE GLYCOL **TWA** 7 mg/m3 NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL TLV 79 mg/m3 NOM NFI (CAS 57-55-6) 25 ppm **UK. EH40 Workplace Exposure Limits (WELs) Form** Components Type Value PROPYLENE GLYCOL **TWA** 474 mg/m3 Total vapour and NOM NFI (CAS 57-55-6) particulates. Particulate. 10 mg/m3 Total vapour and 150 ppm particulates. No biological exposure limits noted for the ingredient(s). **Biological limit values** Recommended monitoring Follow standard monitoring procedures. procedures Not available. Derived no effect levels (DNELs) Predicted no effect Not available concentrations (PNECs) 8.2. Exposure controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates Appropriate engineering controls should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Individual protection measures, such as personal protective equipment **General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Face shield is recommended. Wear safety glasses with side shields (or goggles). Eye/face protection Skin protection Wear appropriate chemical resistant gloves. - Hand protection Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

CA1006 Version #: 06 Revision date: 15-February-2017 Issue date: 02-September-2015

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

Environmental manager must be informed of all major releases.

controls

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid.

Not available. Colour Not available. Odour **Odour threshold** Not available. Not available.

Melting point/freezing point -59 °C (-74,2 °F) estimated Initial boiling point and boiling 188,2 °C (370,76 °F) estimated

range

Flash point 92,3 °C (198,1 °F) **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability limit - upper

Not available.

Not available.

(%)

0,15 hPa estimated Vapour pressure Vapour density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

371,11 °C (700 °F) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. Viscosity Not available. Not explosive. **Explosive properties Oxidising properties** Not oxidising.

9.2. Other information

Refractive index 1.434 - 1.464 Specific gravity 1,04 - 1,08

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms** 

vision. May cause an allergic skin reaction. Dermatitis. Rash.

# 11.1. Information on toxicological effects

No data available. Acute toxicity

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation

Serious eye damage/eye

Causes serious eye irritation.

irritation

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation

May cause an allergic skin reaction. Skin sensitisation

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work

(as amended) Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

# **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

ETHYL VANILLIN #296 1,61 VANILLIN #234 1,37

**Bioconcentration factor (BCF)** Not available. No data available. 12.4. Mobility in soil

12.5. Results of PBT Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Material name: FRENCH VANILLA FL ART

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. **Special precautions** 

### **SECTION 14: Transport information**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk Not established.

according to Annex II of Marpol

and the IBC Code

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I, as amended

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at

work, as amended.

Not listed

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. Additional information is given in the Safety Data Sheet.

Follow national regulation for work with chemical agents. Young people under 18 years old are not **National regulations** 

allowed to work with this product according to EU Directive 94/33/EC on the protection of young

people at work, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

List of abbreviations Not available. Not available. References

Material name: FRENCH VANILLA FL ART Version #: 06 Revision date: 15-February-2017 Issue date: 02-September-2015 Information on evaluation method leading to the classification of mixture Full text of any H-statements not written out in full under

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure by inhalation.

This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

Capella Flavors, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

**Revision information Training information** Disclaimer

Sections 2 to 15

CA1006 Version #: 06 Revision date: 15-February-2017 Issue date: 02-September-2015